



[Home](#) > [Products](#) > [ProX Truss](#) > [F34 Conical Segments 2mm \(Black Finish\)](#) > [4.92ft 1.50m F34 Segment Black Powder Coated | 2mm Wall](#)

SKU: XT-SQ492BLK

Permalink: [Search on Google](#)

## 4.92ft 1.50m F34 Segment Black Powder Coated | 2mm Wall

### Product Images

[Find A Dealer](#)[Download Product Images](#)

### ProX XT-SQ492BLK 4.92ft 1.50m F34 Segment Black Powder Coated | 2mm Wall

#### Description

The **ProX XT-SQ492BLK | 2mm Wall Truss** is one of the most trusted staging support systems in the industry and is built to the highest standards of safety and performance. It's a rugged and durable trussing solution perfect for live outdoor productions, nightclubs, and permanent installations. ProX XT Series Truss compares favorably to the other major trussing manufacturers. We manufacture with EN-AWT6 6082 Aluminum for safety and strength. Our XT series F34 square truss utilizes a standard conical connector system, which easily mates with other brands of the truss of the same size and connector type, and is available in a variety of lengths to suit your designs -- while our outstanding quality control and manufacturing techniques assure excellent fitment at every connection. ProX offers a wide variety of corners, base plates, connectors, and accessories that add stability while expanding on limitless design configurations.

Powder coating provides a stronger finish that is more resistant to damage than paint! Using a black powder coat truss is an effective way to add character to your truss designs. Powder-coated black aluminum ProX truss products provide an extra element that will help to personalize your truss display. Powder-coated finishes provide durability that reduces the risk of scratches, chipping, abrasions, corrosion, fading, and other wear issues.

**ProX Goes Green** - *Unlike many liquid paints, powder coatings offer a smaller carbon footprint which reduces the adverse effects on the environment. Powder coatings contain no solvents and release little or no amount of Volatile Organic Compounds (VOC) into the atmosphere!*

Always know your load weight for your equipment: [VERY IMPORTANT - CLICK HERE for Truss Loading Chart.](#)

- **Tolerance Free Conical Connector System**
- **Main tube wall thickness of .08in (2mm)**
- **ProX Heavy-Duty Connector Sockets**

#### XT-SQ SERIES DIMENSIONS:

- Height: 11.42in / 290mm
- Width: 11.42in / 290mm
- Weight: 21lb per 3.28 ft / 9,5kg per meter
- Main Tube: 2in / 50mm
- Wall Thickness: .08in / 2mm
- Braces: .75in / 20mm

Actual Length: 4.92 ft (1.5 Meters) Square Truss Segment

Segment Weight: 29 lbs.  
Includes connecting hardware set.



#### Features

- **Manufactured in our Own Factory!**

- **Material: EN-AWT6 6082 Aluminum**
- **TUV Certified Aluminium Welding**
- **Black Powder Coated**

TUV Is a 3rd Party Certification Body and a Nationally Recognized Testing Laboratory (NRTL). TUV provides inspections, testing, certification & training, with the ultimate objectives of reliability, safety & high quality.

ProX Truss products utilize industry standard dimensions to be compatible to connect to/with many other manufacturers' F34 trussing products.

#### Exterior Dimensions & Weight

59.00"H x 11.42"W x 11.42"L - Weight: 29.00 lbs

#### Shipping Dimensions & Weight

Box 1 of 1: 59.00"H x 12.00"W x 12.00"L - Shipping Weight: 29.00 lbs

**Suggested Shipping Method: Parcel**

#### UPC

019372410966

### Our Products and You

Submit Your Story

### Customer Testimonials

What Did You  
Think

### Commonly Asked Questions

Ask A Question

### Related Products



#### 9.84Ft 3m F34 Segment Black Powder Coated | 2mm Wall

SKU: XT-SQ984BLK



#### 8.20ft (2.50m) F34 Segment Black Powder Coated | 2mm Wall

SKU: XT-SQ820BLK



**6.56ft 2.00m F34 Segment Black Powder Coated**

SKU: XT-SQ656BLK



**3.28ft - 1.00m F34 Segment Black Powder Coated | 2mm Wall**

SKU: XT-SQ328BLK



**6 Way Square Truss Junction Block - Includes 4 Way 16 Half Conical Couplers | Black Powder Coated | 3mm Wall**

SKU: XT-JB6W-4W-BLK